

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040230987".pn.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:27
L2	1	"20050004973".pn.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:28
L3	3	pipeline and "object-based command" and "parseable object"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L4	5	pipeline and "object-based command" and "parseable"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L5	10	pipeline and "object-based command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L6	229	pipeline and "object-based" and command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L7	58	pipeline and "object-based" and command and parse and subsequent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L8	43	pipeline and "object-based" and command and parse and subsequent and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L9	43	(pipeline or stitch) and "object-based" and command and parse and subsequent and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L10	118	stitching and object and command and parse and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29

L11	149	stitching and object and command and parse and format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L12	8	"parseable object"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L13	8	"subsequent command" and "object-based command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L14	338	"subsequent command" and format and parse\$ and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L15	222	"subsequent command" and format and parse\$ and object and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L16	22577	"command line"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L17	2036	"command line" and format and "data type" and subsequent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L18	74	"command line" and format and "data type" and "subsequent command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L19	2	"6629128".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L20	3	"6560591".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L21	2	"6625590".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L22	2	"20030001894"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L23	2	"20030050997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L24	21248	709/203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L25	3	"20030018765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L26	0	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and ((emit or output) with object) and stitch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L27	0	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and stitch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L28	16	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and stitching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L29	548	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L30	242	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L31	47	pipeline and commands and object-based and (@ad<"20011024" or @rlad<"20011024") and ((emit or output) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L32	6	(pipeline with commands) and object-based and (@ad<"20011024" or @rlad<"20011024") and ((emit or output) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L33	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command" and "subsequent command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L34	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command" and "next command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L35	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L36	216	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L37	0	("command line" or pipeline) and "object-based command" and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L38	5	("command line" or pipeline) and (object-based with command) and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L39	289	715/243	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L40	636	(715/243).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L41	1970	(715/255).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L42	4638	(715/234).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L43	3	pipeline and "object-based command" and "parseable object"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L44	5	pipeline and "object-based command" and "parseable"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L45	10	pipeline and "object-based command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L46	229	pipeline and "object-based" and command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L47	58	pipeline and "object-based" and command and parse and subsequent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L48	43	pipeline and "object-based" and command and parse and subsequent and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L49	43	(pipeline or stitch) and "object-based" and command and parse and subsequent and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L50	118	stitching and object and command and parse and format and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29

L51	149	stitching and object and command and parse and format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L52	8	"parseable object"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L53	8	"subsequent command" and "object-based command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L54	338	"subsequent command" and format and parse\$ and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L55	222	"subsequent command" and format and parse\$ and object and "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L56	22577	"command line"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L57	2036	"command line" and format and "data type" and subsequent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L58	74	"command line" and format and "data type" and "subsequent command"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L59	2	"6629128".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L60	3	"6560591".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L61	2	"6625590".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L62	2	"20030001894"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L63	2	"20030050997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L64	21248	709/203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L65	3	"20030018765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L66	0	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and ((emit or output) with object) and stitch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L67	0	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and stitch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L68	16	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024") and stitching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L69	548	("command line" or pipeline) and object-based and (ad<"20011024" or @rlad<"20011024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L70	242	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L71	47	pipeline and commands and object-based and (@ad<"20011024" or @rlad<"20011024") and ((emit or output) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L72	6	(pipeline with commands) and object-based and (@ad<"20011024" or @rlad<"20011024") and ((emit or output) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L73	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command" and "subsequent command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L74	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command" and "next command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L75	0	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and "prior command"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L76	216	("command line" or pipeline) and object-based and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L77	0	("command line" or pipeline) and "object-based command" and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L78	5	("command line" or pipeline) and (object-based with command) and (@ad<"20011024" or @rlad<"20011024") and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L79	289	715/243	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L80	636	(715/243).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L81	1970	(715/255).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L82	4638	(715/234).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L83	1	"7254751".pn.	USPAT	OR	OFF	2009/06/16 10:29
L84	1	"7278143".pn.	USPAT	OR	OFF	2009/06/16 10:29
L85	1	"7526770".pn.	USPAT	OR	OFF	2009/06/16 10:29
L86	1	"7536696".pn.	USPAT	OR	OFF	2009/06/16 10:29
L87	1	"7530075".pn.	USPAT	OR	OFF	2009/06/16 10:29
L88	1885	"object reflection"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L89	1422	"object reflection" and (@ad<"20040630" or @rlad<"20040630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L90	45	"object reflection" and (@ad<"20040630" or @rlad<"20040630") and pipeline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L91	12	"object reflection" and (@ad<"20040630" or @rlad<"20040630") and (command with line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L92	27	"object reflection" and (@ad<"20040630" or @rlad<"20040630") and pipeline and commands	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L93	16680	pipeline.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29

L94	206	pipeline.clm. and microsoft. as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L95	661	pipeline.clm. and command. clm.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L96	9	pipeline.clm. and command. clm. and reflection.clm.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L97	0	"parseable pipeline object". clm.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L98	2	"7278143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:29
L99	0	719/313.pn.	US-PGPUB; USPAT	OR	OFF	2009/06/16 10:29
L100	1054	719/313.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L101	429	719/313.ccls. and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L102	22	719/313.ccls. and command and pipeline	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L103	3	719/313.ccls. and command and pipeline and reflection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29
L104	2	719/313.ccls. and command and pipeline and parseable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/16 10:29

6/ 16/ 09 10:32:28 AM

C:\ Documents and Settings\ rsingh2\ My Documents\ EAST\ Workspaces\ 10882828.wsp